

CRISIS RESPONSE

VOL:12 | ISSUE:1 | SEPTEMBER 2016

WWW.CRISIS-RESPONSE.COM

JOURNAL

PROTECTION | PREVENTION | PREPAREDNESS | RESPONSE | RESILIENCE | RECOVERY



ANTIBIOTIC RESISTANCE CONFRONTING THE GLOBAL CRISIS

**PLUS: Brexit; Flooding in France; Nanoparticles & First Responders;
Agriculture & terrorism; Search & Rescue in Antarctica; Crisis leadership;
Stability policing; Public information & social media; Conflict de-escalation;
Robotic developments; Command & Control in the 21st Century**

SUBSCRIBE TO
CRISIS RESPONSE JOURNAL



IN PRINT | DIGITAL | ONLINE

The Crisis Response Journal is available by subscription only

Subscribers receive our quarterly hard copy, along with iPad or Android tablet version. A full archive of all past and current articles is also available to all subscribers. Choose the right subscription plan for you, from Individual Full, Digital Only, Institutional & Corporate or Student

Visit our website for around-the-clock news, blogs and events updates

www.crisis-response.com

Editor in Chief
Emily Hough
emily@crisis-response.com

Business Development
Jeffrey Montgomery
jeff@crisis-response.com

Chief Scientific Editor
Ian Portelli, BCDM, PhD
ian@crisis-response.com

Urban Resilience Editor
Andy Marshall
andy@crisis-response.com

Design and Production
Tim Baggaley
www.graphicviolence.co.uk

Subscriptions and Administration
Emma Wayt
emma.wayt@crisis-response.com

Web Administration
Rhys Jones
rhys@crisis-response.com

Director
Colin Simpson
colin.simpson@crisis-response.com

Subscriptions
Crisis Response Journal is published quarterly; it is available by subscription in hard copy, digital and online
Tel: +44 (0) 208 1661690; subs@crisis-response.com

Back issues
Existing subscribers: £25 (US\$45; €36) per hard copy issue (free with online access);
Non subscribers: £40 (US\$72; €58) per issue
Tel: +44 (0) 208 1661690;
backissues@crisis-response.com


Published by Crisis Response Journal Ltd
PO Box 6269, Thatcham, RG19 9JX, UK
Tel: +44 (0) 208 1661690; mail@crisis-response.com
www.crisis-response.com
COPYRIGHT Crisis Response Journal Ltd 2015
Articles published in may not be reproduced in any form without prior written permission
Printed in England by Gemini Press
ISSN 1745-8633

www.crisis-response.com
join the CRJ LinkedIn group
follow us on twitter @editorialcrj



contents

News	4	The global reaches of antibiotic resistance ...	30
		Saskia Popescu asks: how would first responders feel about carrying out their roles? How would any person feel about something as simple as shaking hands?	
Comment			
Brexit: A European opportunity?	8		
		Prince Michael of Liechtenstein introduces our section devoted to the UK's vote to leave the European Union	
Views from CRJ	12		
		CRJ's Editorial Advisory Panel thoughts on the effects of Brexit upon security, resilience and civil protection	
Brexercise and testing: Blue skies ahead?	14		
		The UK is a leading player in EU safety exercises and there is no reason this should change, says Brian Dillon	
Features & Analysis			
Spring flooding in France	16		
		Four people died and 24 were injured in flooding earlier this year, write Christophe Libeau and Pierre Joubert	
Medical care for all victims of war	20		
		Serena Leone introduces Emergency, an Italian-founded, international NGO that builds hospitals and provides healthcare in countries savaged by conflict	
Fighting the nanoparticle war	22		
		Nanotechnology is of immense value in a wide variety of applications, but nanoparticles can also be toxic for humans, especially first responders. Our authors explain how early detection can protect people working in hazardous environments	
Antimicrobial resistance	26		
		This September, global leaders gather at the UN General Assembly to commit to fighting antimicrobial resistance. Why is the issue so important? Marc Mendelson and Ramanan Laxminarayan explain	
The global reaches of antibiotic resistance ...	30		
		Saskia Popescu asks: how would first responders feel about carrying out their roles? How would any person feel about something as simple as shaking hands?	
Agriculture as a terrorist target	32		
		Agriculture and environmental systems are vulnerable to attack, says Christoph Schroth	
The ICDO and Swiss co-operation	36		
		The ICDO and Switzerland have a long history of co-operation to improve civil protection	
Urban resilience: People, not technocrats	38		
		We cannot make our cities more resilient if we consider this to be a technocratic issue, says Laura Kavanaugh	
Mass evacuation mission	40		
		Jörg Szarzynski and Albrecht Beck report from a combined IOM and UNDAC preparedness mission in Vanuatu	
Victim identification	41		
		Jay Levinson and Abraham Domb provide insight into the complexities of identifying victims after an earthquake	
Working together for safety in the Antarctic ..	42		
		The remoteness of the Antarctic makes Search and Rescue a difficult proposition, says Martin Boyle	
Crisis management			
Struggling with 'dark dynamics'	46		
		Today's crisis management is not designed for unmapped and poorly understood challenges, writes Patrick Lagadec	
CM: From war room to boardroom	48		
		Tony Jaques says every executive and director should be concerned about preventing crises	



Terrorism, Security, Conflict			
UK counter-terrorism strategy	52		
		Roger Gomm says terrorists continue to target crowded places that are less protected	
Crime or terrorism: What's in a name?	54		
		It is important to avoid rushing to blame 'terrorism' for all and any violent acts in society, contends Christine Jessup	
Civil protection in the hyper-terrorism age	56		
		Alex Townsend-Drake concludes that civil protection as an end can only be achieved through careful political change	
Unlocking sustainable conflict resolution	58		
		Casey Brunelle argues that strategic foresight is the pathway to sustainable conflict resolution	
NATO stability policing	62		
		Vittorio Stingo describes NATO's stability policing to tackle the challenges of failing or collapsed nation states	
Countering the insider threat	64		
		Andrew Brown reports on de-escalation and negotiation techniques used when training police in Afghanistan	
Working in hostile environments	68		
		Advice on how to protect yourself in hostile or fragile environments from Rob McAlister	
Public safety			
Preparing the public for terrorism	72		
		Susan Anson and Hayley Watson describe a project on the complexities of preparing the public for terrorist attacks	
Social media: A two-way street	74		
		Rob Shimmin explores how companies and emergency services might improve their use of social media in a crisis	



An ear to the ground or head in the sand?	76		
		Jan M Gutteling and Peter W de Vries describe how new insights into how the public responds to a crisis – whether they seek or avoid risk-related information in emergencies – will help shape better risk communication	
Technology			
Emergency incident management	79		
		CRJ talks to Joel Portice of Intermedix	
R&D: Robots that assemble themselves	80		
		Our authors report on tiny, intricate origami robots, which have the potential to revolutionise response to all manner of emergency situations	
R&D: The potential of apps to save lives	82		
		Millions of people's lives have been changed thanks to the ingenuity of Apple's HealthKit and ResearchKit. There is no telling how many lives will be saved in the future	
In-depth			
Hashtag hazards	85		
21st century incident command systems	86		
Addressing terrorist mindsets	88		
Prevention or liability?	90		
Firefighting in tunnels	92		
Regulars			
Books	93		
Events	94		
Looking Back	97		
Frontline	98		



Cover story: Antimicrobial resistance
Cover illustration: Алексей Нуждин | 123rf

comment

As usual, this edition spans emergency and disaster analysis, prevention, protection, preparedness, response and resilience.

Admittedly, it is equally morbidly fascinating and disturbing to see how crises intersect, conflating and exacerbating one another, spawning greater emergencies that appear simply beyond the scope of prevention or mitigation, sometimes leaving agencies seemingly powerless to respond effectively to their sheer scale and complexity. But how bad is the global situation? After all, it is not beyond experts' capabilities to predict, identify and categorise tomorrow's most devastating disasters. Terrorism, natural catastrophes, conflict: This edition addresses and provides insight into all of the above.

At this time, we don't have definitive statistics for 2016. But, despite the widely-held perception that terrorist attacks are increasing, the US State Department's annual terrorism report notes a 13 per cent decrease in attacks in 2015, with 14 per cent fewer deaths. This year's figures might be higher (page 52), and modus operandi may be shifting, but the line between criminality and terrorism has become blurred, and we must be wary of classifying all violent criminal acts as terrorism, as Christine Jessup warns (page 54).

Again, we know that natural disasters are on the rise. But Munich Re says last year saw a fall in losses from such catastrophes in terms of incidents, fatalities and in financial losses. Granted, these figures are in no way cause for complacency; we are certain to face larger and more complex emergencies in the future. But there is an even greater lurking disaster, which CRJ has touched upon in past editions (Prof Steiner, CRJ 10:1); one that we can no longer afford to ignore. Deaths in a world without antibiotics could dwarf all other catastrophes, killing up to ten million people a year (page 26).

How sobering it is to reflect that, despite all our technological advances, prevention, co-operation and hard work in crises and disasters, an absence of antibiotics would not only claim more lives than climate, conflict and terrorism combined, but augment their effects immeasurably. Let's hope that the high level UN meeting on this subject in September produces the unequivocal commitment that this smouldering global health emergency demands.

Emily Hough





Antibiotic resistance:

As leaders gather at the UN General Assembly to fight antimicrobial resistance – only the fourth time in UN history that a health topic has been discussed at this level – **Marc Mendelson** and **Ramanan Laxminarayan** explain why the issue is so important

In 1899, a report published in the *Athens-Clarke County Weekly Banner* described the case of CW Jones whose foot was cut by a blade of grass. In this pre-antibiotic era, his foot had to be amputated to prevent the spread of an infection. Twenty-nine years later, Fleming discovered penicillin, since when millions of lives have been saved using antibiotics.

However, only 75 years after that fortuitous discovery, a man with a severely fractured ankle and secondary infection of the joint was admitted to a hospital in Cape Town in July 2016. Having received multiple courses of antibiotics to try to control the infection, he grew a bacterium from a bone biopsy that was resistant to the last line of antibiotics. Just as in the case of Jones, the man's foot had to be amputated to control the infection.

The scenario of untreatable bacterial infection, or those that are susceptible only to the last line of antibiotics, is now

commonplace across the globe, and heralds a change in modern medicine as we know it. Antibiotics are vital to maintain health; not only to treat bacteria causing pneumonia, meningitis, gonorrhoea, urinary tract infections and a long list of other common infections, but also as prophylaxis to prevent infections in persons whose immune systems are compromised, such as those living with HIV or receiving a transplant, and to prevent surgical wounds becoming infected at the time of operation.

Smith and Coast estimate that without antibiotics, just under half of patients who undergo a total hip replacement would develop a post-operative infection in the new joint, and about one third who developed such an infection would die. Although estimates of the number of additional deaths from loss of antibiotics as surgical site infection prophylaxis for total hip replacement in the US were lower in modelling reported by Teillant and colleagues,

The need for an international response

with markedly increased odds of death the decision to have a total hip replacement – even if you really needed one – would be far more difficult to make. Similarly, chemotherapy used to treat cancer causes the body's normal defence mechanisms against bacteria to be suppressed. If a patient with cancer is carrying a highly resistant bacterium to which no antibiotic is available, then giving chemotherapy to that person would carry an extremely high risk that an infection with that bacterium would develop and be fatal. These cases exemplify how great a game-changer the loss of antibiotics to treat bacterial infections will be.

It seems counterintuitive that taking an antibiotic can itself encourage the development of resistance to that antibiotic. Most antibiotics have been isolated from soil bacteria and fungi, and are chemicals that are produced by these microorganisms to attack other bacteria. Just as with any example of natural selection, some bacteria have a survival advantage and possess the capability to resist such an attack. Furthermore, the majority of genes that code for the different resistance mechanisms are carried

on plasmids (circular pieces of DNA), which can be transferred from bacteria to bacteria of the same, or different species. Hence, antibiotic resistance in bacteria can either be naturally occurring or acquired. Humans share a symbiotic relationship with around 100 trillion bacteria and other microorganisms that live on epithelial linings of our gut, respiratory tract, skin and other body surfaces. These microorganisms play vital roles in the development of our immune system, digestion of food and vitamin metabolism, and provide a virtual barrier to more pathogenic microorganisms, outcompeting them by their sheer number.

When we take an antibiotic, bacteria sensitive to the action of that antibiotic will be killed, but those that are able to resist will be selected out. Given the right circumstances, the resistant strains will replicate and become the dominant species. Those that colonise body linings such as skin are transferrable to other people, which is a danger, particularly in hospitals where sick patients are in abundance. Alternatively, it may cause an infection in that person, which would then need to be treated with a 'higher-level' antibiotic that remains ►

► sensitive to the resistant bacteria. And so the cycle continues, with more and more selection of increasingly resistant bacteria until there is no antibiotic left that can overcome the multi-drug resistant infection. It follows therefore, that the more antibiotics are used, the more resistant bacteria will be selected out, and an increasing number of antibiotics will be unavailable to treat common infections.

Quite simply, the increase in bacterial resistance has been driven by our misuse and overuse of antibiotics. Antibiotics are only active against bacteria and a small number of other microorganisms, but have no action against viruses. However, for decades, doctors have been misusing antibiotics to treat viruses such as those that cause the common cold, and for a host of conditions from fever to body aches against which an antibiotic has no effect other than to cause harm from side effects or selection of resistance.

The drivers of misuse and overuse include poor education of prescribers and the public, lack of available diagnostic tests that fuels diagnostic uncertainty, entry into the market of falsified or substandard antibiotics and, in a number of countries such as India, access to antibiotics without prescription over the counter from pharmacies, non-pharmacy stores and street sellers.

In exactly the same manner as in humans, bacteria in animals can become resistant to antibiotics. Globally, around 80 per cent of all antibiotics are used in animals, mostly in feed animals to promote growth and reduce the time delay to market, or for metaphylaxis (mass medication of a group of animals to prevent infection). A small percentage is used for treatment of sick animals.

The increasing resistance of bacteria in animals is well documented, and the recent identification of a new plasmid-mediated resistance mechanism rendering the common bacterium *E. coli* resistant to colistin in poultry on the farm, chicken meat in the abattoir and on shop shelves, and in humans admitted to hospital with infection, confirms the passage of bacterial resistance to antibiotics from farm to fork.

Overall antibiotic consumption

What remains unclear, and is a cause of much debate, is the degree to which development of bacterial resistance in animals is driving the problem of bacterial resistance in humans. The problem is yet more complex, with bacteria-carrying resistance genes entering the environment through farm slurry, antibiotic manufacturing facilities discharging antibiotics directly into the environment from run-offs, and antibiotics being used in aquaculture entering the waters. Even some paints used for ships' hulls and harbour walls are impregnated with antibiotics to stop barnacle attachment. Hence, overall antibiotic consumption is far greater than what is used for prevention and treatment in humans.

If the overuse and misuse of antibiotics are not reversed, not only will our ability to practise medicine radically change, but modelling suggests that by 2050, the death rate from drug-resistant infections will have risen from the current 700,000 deaths a year, to over 10 million deaths per annum, dwarfing deaths from cancer and other common medical conditions.

The hammer blow will be felt most keenly in low and middle income countries (LMIC) in Africa and Asia, where 90 per cent of deaths will occur. Economically, we would see in excess of \$100 (€89) trillion wiped off global GDP.

Arguably, antibiotic resistance represents our greatest current public health crisis. To react, it must be viewed in the same way as climate change, as antibiotics are global public goods that

A One Health approach to building antimicrobial resistance National Action Plans in middle and low income countries

Wilton Park in the UK recently held a meeting focused on the National Action Plans (NAPs) which WHO member countries are drafting to tackle antimicrobial resistance (AMR).

It brought together representatives from countries in middle and low income economic settings, who are leading the development and implementation of their NAPs, sharing their experiences so far and learning from one another. NAPs should embrace a 'one health' approach to combating AMR by addressing all relevant sectors: Agriculture; livestock; and human health. They should also consider the importance of

incentives for the development of new treatments and the stewardship of existing drugs.

The event built on the recent resolutions agreed by the WHO, FAO and The World Organisation for Animal Health to tackle AMR. It followed the Science Summit organised by the Wellcome Trust in April 2016, providing a scientific basis for NAPs development. The discussions also took into account the findings from the independent AMR Review, led by Lord O'Neill. CRJ hopes to provide more details of this event, either in our blogs or in a future edition.

■ www.wiltonpark.org.uk.

lie: "Within a shared-resource system where individual users acting independently according to their own self-interest behave contrary to the common good of all users by depleting that resource through their collective action." In other words, this global crisis demands an international response with no bystanders.

Over the last three years, much has been done to start addressing the issues. A tripartite alliance has been formed between the World Health Organization (WHO), the World Organisation for Animal Health and the Food and Agriculture Organisation of the United Nations to help drive the international response. In May 2015, the 68th World Health Assembly adopted the Global Action Plan for Antimicrobial Resistance (AMR), mandating each member state to develop a national action plan for AMR by May 2017.

A common approach centres around: Surveillance (bacterial resistance and consumption of antibiotics); stewardship (optimising antibiotic use); and infection prevention, overseen by a national governance structure, and underpinned by education, public awareness, and R&D of new antibiotics, vaccines and diagnostics. The tripartite alliance is supported by work packages of the Global Health Security Agenda, drawing in international expertise to address crosscutting issues of One Health, global stewardship frameworks and support of key surveillance platforms.

At country level, technical assistance is provided to member states by the tripartite alliance and organisations such as the Global Antibiotic Resistance Partnership and ReAct – Action on Antibiotic Resistance, that have formed global networks for concerted action on AMR and provide in-country support to develop action.

The required international response and funding models to tackle AMR have been most successfully articulated by the Review on Antimicrobial Resistance chaired by Jim O'Neill. Three sets of actions are proposed: A sustained global public awareness campaign estimated to require \$40-100 (€35-89) million per annum; new models of antibiotic R&D; and actions to reduce consumption of antimicrobials.

In terms of antibiotic R&D, the global community needs antibiotics that have activity against resistant bacteria, which at present still comprise a small percentage of the total burden of bacterial infection. However, the current pharmaceutical business model of profit linked to volume of sales runs contrary to this desired aim. A number of de-linkage models have been proposed by *The O'Neill Report*, The Chatham House Working Group, and DRIVE-AB.

One such model based on market-entry rewards is gaining credence. It would provide a series of payments to the developer in return for an oversight body ensuring that consumption was being directed by public health policy and priced at a cost that enables global access.

Currently, more children under the age of five die from lack of access to antibiotics for pneumonia, than do those from antibiotic-resistant infections. Although the tipping point may soon be reached and the cause of mortality reversed in favour of resistance, access to assured quality antibiotics to all who need them is a fundamental human right, and under the current linkage model, has been compromised for decades. The proposed de-linkage models with stewardship oversight aims to reverse this inequity.

Recent accelerator initiatives such as the Global Antibiotic Research and Development Partnership set up by the WHO and Drugs for Neglected Diseases Initiative, and Combating Antibiotic Resistant Bacteria Biopharmaceutical Accelerator (CARB-X), a public-private partnership between US Government agencies, UK-based funding and research groups, signify critical new funds and a welcome step towards the development of new antibiotic R&D strategies.

However, the benefit of such financial investment is unlikely to be felt in the short to medium term. Indeed, bringing a new antibiotic to market currently takes many years. Hence action to conserve existing antibiotics needs to be taken with greater urgency. It requires a combination of interventions, primary among which is to address infection prevention to reduce the need for antibiotics in the first place. LMICs are commonly without clean water and adequate sanitation, which if put in place, are estimated to reduce diarrhoeal illness by up to 60 per cent and therefore also reducing unnecessary antibiotic use. Similarly, increasing access to vaccination to prevent pneumonia and other illnesses in humans reduces the need for antibiotics, and preventing infection in animals reared for food by increased vaccination levels positively affects food security and antibiotic consumption levels. Improving means of preventing infection in feed animals is one of a number of important interventions towards reducing the need for animal growth promoters and metaphylaxis.

Research and development of alternative strategies to antibiotics such as antibodies, phage therapy, and probiotics among others, could reduce the burden of need for antibiotics, as could the introduction of new diagnostics at point of care, which

Sources/Bibliography

- *Smith R and Coast J (March 11, 2013):* The true cost of antimicrobial resistance, *BMJ*; 346:f1493 doi: 10.1136/bmj.f1493;
- *Gelband H, Miller-Petrie M, Pant S, Levinson J, Barter D, White A, Laxminarayan R (2015):* The State of the World's Antibiotics, 2015. Available at www.cddep.org;
- *WHO (accessed July 17, 2016):* Global Action Plan on Antimicrobial Resistance, apps.who.int;
- *Mendelson M, Røttingen J A, Gopinathan U, Hamer DH, Wertheim H, Basnyat B, Butler C, Tomson G, Balasegaram M (2016):* Maximising access to achieve appropriate human antimicrobial use in low-income and middle-income countries. *Lancet*, 9;387(10014):188-98; doi: 10.1016/S0140-6736(15)00547-4;
- *Árdal C, Outtersen K, Hoffman S J, Ghafur A, Sharland M, Ranganathan N, Smith R, Zorzet A, Cohn J, Pittet D, Daulaire N, Morel C, Rizvi Z, Balasegaram M, Dar O A, Heymann D L, Holmes A H, Moore L S, Laxminarayan R, Mendelson M, Røttingen JA*

can differentiate a bacterial infection from other causes of the illness. Lastly, improved surveillance of antibiotic resistance in humans and animals, supporting the rollout of the WHO Global Antibiotic Resistance Surveillance System, as well as increased surveillance of consumption and drug quality, are fundamental areas of knowledge to enable optimisation of antibiotic prescribing and to direct stewardship programmes to areas of greatest need.

In September 2016, The UN Assembly High-Level Meeting of Heads of State will discuss sustainable access to effective antimicrobials. This meeting provides the chance to establish a High-Level Co-ordinating Mechanism (HLCM), which could drive many of the interventions discussed here at a high level. HLCM functions would include driving the global access

Antibiotics are used in aquaculture. Even some paints for ships' hulls and harbour walls are impregnated with antibiotics to stop barnacles



debate and raising awareness of the antibiotic resistance crisis, setting up a global co-ordination and monitoring platform, establishing enforceable targets for monitoring and evaluation, and co-ordination of multisectoral action.

This historic meeting represents a unique opportunity for the world to respond in unison to the One Health threat of antibiotic resistance, and ensure the continued benefit of antibiotics, that we have come to take for granted.

(January 2016): International co-operation to improve access to and sustain effectiveness of antimicrobials, *Lancet*, 387(10015): 296-307, doi: 10.1016/S0140-6736(15)00470-5;


■ *Review on Antimicrobial Resistance Chaired by Jim O'Neill (accessed July 15, 2016):* Tackling drug-resistant infections globally: Final report and recommendations, amr-review.org;

■ *Report from the Chatham House Working Group on New Antibiotic Business Models (Accessed July 21, 2016):* Towards A New Global Business Model for Antibiotics. Delinking Revenues from Sales, Edited by Charles Clift, Unni Gopinathan, Chantal Morel, Kevin Outtersen, John-Arne Røttingen and Anthony So, www.chathamhouse.org;


■ *Laxminarayan R, Amabile-Cuevas CF, Cars O, Evans T, Heymann DL, Hoffman S, Holmes A, Mendelson M, Sridhar D, Woodhouse M, Røttingen J A (July 2016):* UN High Level Meeting on antimicrobials – What do we need? *Lancet* 2016; 388:218-220;

■ *Wikipedia:* Tragedy of the commons, www.wikipedia.org.

Authors

 **Marc Mendelson** is Professor of Infectious Diseases at the

University of Cape Town, Chair of the South African Ministerial Advisory Committee on Antimicrobial Resistance, and Co-Chair of the South African Antibiotic Stewardship Programme

 **Ramanan Laxminarayan** is Director and senior fellow at the Center for Disease Dynamics, Economics & Policy (CDDEP) in Washington DC and New Delhi, and a senior research scholar and lecturer at Princeton University